L Number	Hits	Search Text	DB	Time stamp
1	265	((data-base) (data adj base) or	USPAT;	2004/01/20 14:51
-	200	(database)) same wildcard\$2	US-PGPUB;	2001, 02,,20 21.02
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	114	(wildcard\$3 OR wild-card\$4) AND (sort\$5 OR	USPĀT;	2004/01/20 14:52
		range\$2 OR ordered!) SAME (ip! ADJ2	US-PGPUB;	
		address\$2)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	138	(represent\$3 near3 (wildcard\$2 or	USPAT;	2004/01/20 14:52
ļ		wild-card\$4)) and determin\$4	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
4	114	(wildcard\$3 wild-card\$4) AND (sort\$5 OR	USPAT;	2004/01/20 14:52
-		range\$2 OR ordered!) SAME (ip! ADJ2	US-PGPUB;	2001, 01, 20 11101
		address\$2)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	36	((wildcard\$3 wild-card\$1 (wild near2	USPĀT;	2004/01/20 14:52
		card\$1))) and (four near3 rang\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	36	' ' '	USPAT;	2004/01/20 14:52
		card\$1))) and (four near3 rang\$3)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
7	19	(represent\$4 near3 (wildcard\$2 or	USPAT;	2004/01/20 14:52
'	1,7	wild-card\$4)) same determin\$4	US-PGPUB;	2004/01/20 14.52
		wild calayi,, bame accounting	EPO; JPO;	
			DERWENT;	
<u>l</u>			IBM TDB	
8	114	(wildcard\$4 wild-card\$4) AND (sort\$5 OR	USPĀT;	2004/01/20 14:52
		range\$2 OR ordered!) SAME (ip! ADJ2	US-PGPUB;	
		address\$2)	EPO; JPO;	
			DERWENT;	
	10	(manuscrate) manua (mildenede) en	IBM_TDB	2004/01/20 14:52
9	19	(represent\$3 near3 (wildcard\$2 or wild-card\$4)) same determin\$4	USPAT; US-PGPUB;	2004/01/20 14:52
		wiid-card94// Same decermin94	EPO; JPO;	
			DERWENT;	
			IBM TDB	
10	114	(wildcard\$3 wild-card\$4) AND (sort\$5 OR	USPAT;	2004/01/20 14:52
		range\$2 OR ordered!) SAME (ip! ADJ2	US-PGPUB;	
		address\$2)	EPO; JPO;	
			DERWENT;	
	101-	/ 17 dec 1864 OR 114 de 1864 TYP	IBM_TDB	0004/01/00 14 50
11	1817	(wildcard\$4 OR wild-card\$4) AND number\$2	USPAT;	2004/01/20 14:53
Į i		AND data	US-PGPUB; EPO; JPO;	
[DERWENT;	
			IBM TDB	
12	114	(wildcard\$3 wild-card\$4) AND (sort\$5 OR	USPAT;	2004/01/20 14:53
	•	range\$2 OR ordered!) SAME (ip! ADJ2	US-PGPUB;	
		address\$2)	EPO; JPO;	
]			DERWENT;	
			IBM_TDB	
-	120	((data-base) or (data adj base) or	USPAT;	2004/01/20 14:51
		(database)) same wildcard\$2	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	212	707/.ccls. and wildcard\$2	USPAT;	2002/02/26 11:28
	212	i i i i i i i i i i i i i i i i i i i	US-PGPUB;	1302,02,20 11.20
			EPO; JPO;	
	I	1		
			DERWENT;	

		•		
-	610	707/6.ccls.	USPAT;	2002/02/26 13:47
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19582	data adj compression\$2	USPAT;	2002/02/26 13:34
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	265	(data adj compression\$2) same database	USPĀT;	2002/02/26 13:35
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	210	((data adj compression\$2) same database)	USPĀT;	2002/02/26 13:35
		and memory	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	5	((((data adj compression\$2) same database	USPAT;	2002/02/26 13:38
) and memory) and range) and wild\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	132	(((data adj compression\$2) same database)	USPAT;	2002/02/26 13:42
		and memory) and range	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	813	707/101.ccls.	USPAT;	2002/02/26 14:33
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT; IBM TDB	
_	114	(wildcard\$2 OR wild-card\$4) AND (ip! ADJ2	USPAT;	2003/07/07 10:51
1		address\$2)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	25	(wildcard\$2 OR wild-card\$4) AND (sort\$5 OR	USPAT;	2004/01/20 14:51
		range\$2 OR ordered!) SAME (ip! ADJ2	US-PGPUB;	
		address\$2)	EPO; JPO;	
			DERWENT; IBM TDB	
_	364	370/397.ccls.	USPAT;	2002/02/26 15:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	90	370/397.ccls. and IP!	USPAT;	2002/02/26 15:17
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	35	370/399.ccls. and IP!	USPAT;	2002/02/26 15:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	517	370/401.ccls. and IP!	USPAT;	2002/02/26 15:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	59	370/409.ccls. and IP!	USPAT;	2002/02/26 15:19
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
L	L	<u> </u>	T TOTA T DD	<u> </u>

_	829	wildcard\$2 OR wild-card\$4	USPAT;	2002/02/27 09:33
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	718	(wildcard\$2 OR wild-card\$4) AND number\$2	USPAT;	2004/01/20 14:51
		AND data	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	92	(wildcard\$2 OR wild-card\$4) SAME number\$2	IBM_TDB USPAT;	2002/02/27 11:15
]	SAME data	US-PGPUB;	2002/02/27 11.13
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	44	determin\$4 near5 (wildcard\$2 or	USPAT;	2002/02/27 12:41
		wild-card\$4)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	("6138123").PN.	USPAT;	2002/02/27 12:44
			US-PGPUB;	
			EPO; JPO;	
[DERWENT; IBM TDB	
_	69	represent\$4 near3 (wildcard\$2 or	USPAT;	2002/02/27 12:47
		wild-card\$4)	US-PGPUB;	2002,02,21 12.41
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	65	(represent\$4 near3 (wildcard\$2 or wild-card\$4)) and determin\$4	USPAT; US-PGPUB;	2004/01/20 14:52
		wild-card\$4)) and decermin\$4	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	14	(represent\$4 near3 (wildcard\$2 or	USPĀT;	2004/01/20 14:52
		wild-card\$4)) same determin\$4	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	2	("6151631").PN.	USPĀT;	2002/02/28 12:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	2	("6026398").PN.	IBM_TDB USPAT;	2002/02/28 12:49
		, 552555 , 1111.	US-PGPUB;	2002/02/20 12.49
			EPO; JPO;	
			DERWENT;	
		(#6262241#) PM	IBM_TDB	2002/02/22 12 12
-	2	("6263341").PN.	USPAT; US-PGPUB;	2002/02/28 12:49
	}		EPO; JPO;	
	ļ		DERWENT;	
1			IBM_TDB	
-	3	telephone near5 wildcards	USPAT;	2002/02/28 12:51
	1		US-PGPUB;	
	1		EPO; JPO; DERWENT;	
			IBM TDB	
-	3034154	wild NEAR4 card\$1 NEAR\$4 rang\$4	USPAT;	2003/07/07 10:51
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	27355	(wild NEAR4 card\$1 NEAR\$4 rang\$4) and	USPAT;	2003/07/07 10:51
	2.333	(sub\$5 NEAR4 number\$1)	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
L	<u> </u>		IBM_TDB	

-	1051	(wildcard\$2 OR wild-card\$4)	USPAT;	2002/09/06 14:16
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	5	((wildcard\$2 OR wild-card\$4)) near5	USPĀT;	2002/09/06 14:20
		rang\$4 near5 number\$2	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	8	((wildcard\$2 OR wild-card\$4)) near10	USPĀT;	2002/09/06 14:21
		rang\$4 near10 number\$2	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2913	(wildcard\$1 wild-card\$1 (wild near2	USPAT;	2003/07/01 09:07
		card\$1))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	29	((wildcard\$1 wild-card\$1 (wild near2	IBM_TDB USPAT;	2004/01/20 14:52
		card\$1))) and (four near3 rang\$3)	US-PGPUB;	2004/01/20 11.32
			EPO; JPO;	
			DERWENT;	
_	226	((database) or (data adj base) or	IBM_TDB USPAT;	2003/07/07 10:51
	220	(database) of (data adj base) of (database) same wildcard\$2	US-PGPUB;	2003/07/07 10:31
		(4100000), 50000 11100014,12	EPO; JPO;	
			DERWENT;	
	201	(13) 100 13) 104) 777	IBM_TDB	0000/07/07 40 54
-	321	(wildcard\$2 or wild-card\$4) AND (ip! ADJ2 address\$2)	USPAT; US-PGPUB;	2003/07/07 10:51
		addlessy2)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	90	(wildcard\$2 wild-card\$4) AND (sort\$5 OR	USPAT;	2004/01/20 14:53
		range\$2 OR ordered!) SAME (ip! ADJ2 address\$2)	US-PGPUB; EPO; JPO;	
		44410007117	DERWENT;	
			IBM_TDB	
-	3319197	wild NEAR4 card\$1 NEAR\$4 rang\$3	USPAT;	2003/07/07 10:53
	·		US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	30	((wildcard\$1 (wild near2 card\$1))) and	USPĀT;	2003/07/07 10:53
		(four near3 rang\$3)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	25655	(wild NEAR4 card\$1 NEAR\$4 rang\$3) and	USPAT;	2003/07/07 10:55
		(sub\$5 NEAR4 number\$1)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	30	((wildcard\$1 (wild near2 card\$1))) and	USPĀT;	2003/07/07 10:55
		(four near3 rang\$3)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	18	(represent\$3 near3 (wildcard\$2 or	USPAT;	2004/01/20 14:52
		wild-card\$4)) same determin\$4	US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM TDB	
	l		·	L